



Life! LGHI LOVE!





Dear friends,

Abby lighting is a specialist supplier of lighting fittings for the commercial, industrial, institutional and domestic lighting sectors.

An in house production base with all manufacturing facilities supervised and controlled by a skilled and trained workforce, ensures complete quality control. The result is an exceptional range of products in which the lighting designers, the specifier, and the end users can have complete confidence.

Dedicated customers service, highly trained staff, and a wide range of innovative products along with a continuous innovation policy are our core strengths, which are available to all our customers so that we can serve you better.

We at Abby are always available to solve all the challenges you face, and are willing to work with you from project inception to completion.

This catalog aims, and we believe succeeds in providing a range of crucial decision making aids for an ambient lighting solution.


Yours sincerely,

Sanjay Bajaj


PRESIDENT




EXPERIENCE AND EXPERTISE FROM THE LIGHTING SPECIALIST











Meet the Enso 12 Meet the Circulo 16 An introduction to i-sky 20 22 An introduction to oH-Ho GetOut!! Outdoor Lighting 26 Dark Knight 32 34 Romeo




Profiles


















Channel 1

Spot & Accents
















56 57














58 59





Xyla 15w/22w









60 62


























The values contained in this data sheet can change due to technical innovations. Any such change will be made without separate notification. Please find further detailed information at www.abbylighting.com



65

66




Beta 1-way 10w



Beta 2-way 10w



Beta 3-way 10w



Beta 4-way 10w



Beta 1-way 15w/22w




Beta 2-way 15w/22w

67

68



Beta 3-way 15w/22w



Beta 4-way 15w/22w



Gamma 1-way 22w/30w



Gamma 2-way 22w/30w



Gamma 3-way 22w/30w



Gamma 4-way 22w/30w

Spot & Accents - Trimless

70

71



Beta Trimless 1-w 5w/8w



Beta Trimless 2-w 5w/8w



Beta Trimless 3-w 5w/8w





Beta Trimless 4-w 5w/8w Beta Trimless 1-w 10w/15w Beta Trimless 2-w 10w/15w




71

73





Beta Trimless 3-w 10w/15w Beta Trimless 4-w 10w/15w Lucky Trimless 5w/8w Zui Trimless 15w/22w







Spot & Accents - Surface

76

77



83





OVO P 7/12 10w



iBlock AG 10w/15w



OVO 7/12 10w



iBlock Wash 10w/15w R.paR 3w



OVO 15w





OVO P 15w



Bro S 15w



Bro S Twins 2x15w




Tracks



87



L-Bo 9w/12w





OVO BD TA



iShop 15w



iShop 22w/30w



Art Light

88

89



Bro TA



Bro Twin TA



Bro HGB TA



Jade 15w/22w/30w



Jade HGB



Jade BD

Recess Downlights

92

93



Mushroom 4w



Snow 4w/5w/8w



iNspire 10w



iNspire 15w



iStar 5w/8w



94

95



iStar 10w/15w



iStar 18w/23w



iStar 25w/30w



iRound 18w/30w



iSquare 18w/30w



iSquare D 18w/30w

96

97



iPlane Round 5/8w



iPlane Round 10w






iPlane Round 15w/22w iPlane Square 5w/8w



iPlane Square 10w



iPlane Square 15w/22w

99



iNfinity Round 5/8w




iNfinity Round 10w




iNfinity Round 15w/22w



iNfinity Square 5w/8w iNfinity Square 10w





iNfinity Square 15w/22w



Recess Downlights















Recess Grid Lights

102

105






Glyde 30w/40w









Surface Downlights

107




























iNfinity Round Surface 10w iNfinity Round Surface 22w iNfinity Sq Surface 10w

iNfinity Sq Surface 22w

Outdoor

111



Moonwalker 1 3w



Moonwalker 3 9w



Moonwalker 9 27w




Spyke I 5w/8w



Spyke R 5w/8w







Enso- zen circle, is as Japanese word meaning "circle" symbolizing absolute enlightenment, the wholeness of the spirit, the void and myriad of things in between.

Enso is seemingly perfect in its continuity, balance and sense of completeness.


Enso is both - the most fundamentally simple and the most complex shape.

Enso, puristically simple, seems to float weightlessly in space.

To choose from, you have colors, sizes, and power, for the perfect fit that your architecture deserves.

* To know more about the Enso range, please consult an ABBY representative.








Enso 60

Enso P 60 40w Enso SF 60 40w




 LED Color::
 4000K
 6000K
 Custom



Enso 90

Enso P 90 80w

Enso SF 90 80w




LED Color:: 6000K Custom




Enso 120

Enso P 120 115w Enso SF 120 115w



 LED Color::
 3000K
 6000K
 Custom




^{*}For backlight consult Abby representative. P:Pendent, SF:Surface





Enso 150 Enso 180


Enso P 150 145w Enso SF 150 145w



 LED Color::
 3000K
 4000K
 6000K

 Finish:
 SWH
 SBL
 SSG
 Custom

Enso P 180 155w Enso SF 180 155w




 LED Color::
 3000K
 4000K
 6000K

 Finish:
 SWH
 SBL
 SSG
 Custom

Enso 210

Enso P 210 200w Enso SF 210 200w




 LED Color::
 3000K
 4000K
 6000K

 Finish:
 SWH
 SBL
 SSG
 Custom

Enso 240

Enso P 240 230w Enso SF 240 230w



LED Color:: Finish:

	3000K	4000K	
SWH	SBL	SSG	Custom
ajc			

^{*}For backlight consult Abby representative.





A circle is the reflection of eternity. It has no beginning and it has no end.

Circulo, the new classical and contemporary offering from Abby, lives upto this adage. Meticulously crafted using the finest manufacturing and led technology.

Circulo finds its place of grace in almost any living space.

The light as it shines downwards in a very soft beam, makes for a very pleasant ambience.

Circulo is based on a system that allows a wide variety of different applications - wall or ceiling surface, ceiling recess and suspended mounting.

Circulo is available from sizes 400mm round to 1200mm round.

* To know more about the Circulo range, please consult an ABBY representative.





Circulo 32

Circulo P 32 20w Circulo SF 32 20w



Ø 325mm x H: 125mm

 LED Color::
 3000K
 4000K
 6000K

 Finish:
 SWH
 SBL
 SSG
 Custom



Circulo 45

Circulo P 45 40w Circulo SF 45 40w



Ø 450mm x H: 125mm

 LED Color::
 3000K
 4000K
 6000K

 Finish:
 SWH
 SBL
 SSG
 Custom



^{*}For backlight consult Abby representative.



Circulo 60

Circulo P 60 50w Circulo SF 60 50w



Ø 600mm x H: 125mm


 LED Color::
 3000K
 4000K
 6000K

 Finish:
 SWH
 SBL
 SSG
 Custom



Circulo 90

Circulo P 90 80w Circulo SF 90 80w




 LED Color::
 3000K
 4000K
 6000K

 Finish:
 SWH
 SBL
 SSG
 Custom



Circulo 120

Circulo P 120 120w Circulo SF 120 120w





^{*}For backlight consult Abby representative.







"Look at the sky. We are not alone.
The whole universe is friendly to us and conspires
only to give the best to those who dream and work"
Honourable Ex-President of India- A. P. J. Abdul Kalam



i-Sky, the new high on quality, aesthetics and illuminance luminaire - is a modern design suitable for universal architectural illumination. From warm and cosy lighting for the home to efficient work place lighting and wide-area general lighting.

The slim clear-cut design, uses the latest in manufacturing and LED technology to give the perfect luminaire for any taste. You can choose between various shapes, sizes and power for either surface, suspended or ceiling recess versions.



* To know more about the i-Sky range, please consult an ABBY representative.






oH-Ho Pendant

oH-Ho Pendant 20w

 LED Color::
 2700K
 3000K
 4000K
 6000K

 Finish:
 SWH
 SBL
 SSG
 Custom


* For uplight consult Abby representative.





oH-Ho Surface

oH-Ho Surface 20w




* For backlight consult Abby representative.




oH-Ho Semi Recess

oH-Ho Semi Recess 20w




LED Color:: 2700K 3000K 4000K 6000K Finish: SWH SBL SSG Custom



oH-Ho Recess

oH-Ho Recess 20w




Ø380mm

Ø280mm

 LED Color::
 2700K
 3000K
 4000K
 6000K

 Finish:
 SWH
 SBL
 SSG
 Custom





oH-Ho Pendant

oH-Ho Pendant 30w oH-Ho Pendant 40w

LED Color:: 2700K 3000K 4000K 6000K Finish:

SWH SBL SSG Custom


Ø405mm

* For uplight consult Abby representative.



oH-Ho Surface

oH-Ho Surface 30w oH-Ho Surface 40w



 LED Color::
 2700K
 3000K
 4000K
 6000K


 Finish:
 SWH
 SBL
 SSG
 Custom

* For backlight consult Abby representative.



oH-Ho Semi Recess


oH-Ho Semi Recess 30w oH-Ho Semi Recess 40w






oH-Ho Recess

oH-Ho Recess 30w oH-Ho Recess 40w



 LED Color::
 2700K
 3000K
 4000K
 6000K

 Finish:
 SWH
 SBL
 SSG
 Custom







Helix

Helix 15w



Ø 118mm x H: 500mm



Helix Max

Helix Max 30w



Ø 168mm x H: 1000mm







Н	u	S	ky	

Husky 15w




Ø 118mm x H: 500mm



Husky Max

Husky Max 30w










Heron

Heron 8w




LED Color: Finish:

2700K	3000K	4000K		6000K	
	SBL]		



Heron

Heron 2 x 8w



LED Color: Finish:

olor:	3000K	4000K	6000K	
	SBL			








Wallop 8w/15w

Wallop 8w

Wallop 15w

Wallop 8U8D




Wallop 20w

Wallop 20U

Wallop 20D

Wallop 20U20D



6500K

LED Color:	3000K 4000K 6500K	LED Color:	3000K 4000K
Finish:	SBL	Finish:	SBL


^{*} D:Downlight, U:Uplight





Grasshopper

Grasshopper R 3/8w




LED Color:	3000K 4000K 6000	K
FWHM Angl	e: 16° 24° 44°	
Finish:	GRAY	



Grasshopper

Grasshopper R 9/22w



LED Color:		3000K	4000K	6000K	
FWHM Angle	: 16°	24°	44°		
Finish:		GRAY			








Grasshopper

Grasshopper R 3/8w




LED Color:	3000K 4000K 6000K	
FWHM Angle	16° 24° 44°	
Finish:	GRAY	



Grasshopper

Grasshopper R 9/22w



LED Color:	3000K	4000K	6000K
FWHM Angle	16° 24°	44°	
Finish:	GRAY		







Dark Knight

Dark Knight 4 10w



L: 113mm x W: 47mm x H: 64mm Cutout: 106mm x 40mm

LED Color:		3000K	4000K	6000K	
FWHM Angle:	28°	16x32°			
Finish:	SWH	SBL			



Dark Knight

Dark Knight 6 15w



L: 161mm x W: 47mm x H: 64mm Cutout: 154mm x 40mm

LED Color:	3000K 4000K 6000K	
FWHM Angle	28° 16x32°	
Finish:	SWH SBL	







Dark Knight

Dark Knight 8 20w




L: 208mm x W: 47mm x H: 64mm Cutout: 201mm x 40mm

LED Color:		3000K	4000K	6000K	
FWHM Angle	: 28°	16x32°			
Finish:	SWH	SBL			



Dark Knight

Dark Knight 12 30w



L: 302mm x W: 47mm x H: 64mm Cutout: 295mm x 40mm

LED Color:	3000K 4000K 6000K	
FWHM Angle	28° 16x32°	
Finish:	SWH SRI	








Romeo Pin Spot

Romeo PS 3w



 LED Color:
 3000K
 4000K
 6000K


 FWHM Angle:
 26°


 Finish:
 SWH
 SBL



Romeo Oval Spot

Romeo OS 3w








Romeo Pin Spot


Romeo PS 10w Romeo PS 15w






Romeo Oval Spot


Romeo OS 10w Romeo OS 15w





Aqua Romeo


Aqua Romeo 10w Aqua Romeo 15w












Named Samsara - a Sanskrit word, the literal meaning of which is "a wandering through" in reference to a passage, which also means "continuous flow"

Soft, compelling, and powerful; Samsara is an ideal choice where you require wide spatial illumination on all planes. This sophisticated design is capable of unchallenged grace in any space. The versatility of the fixture allows you to play with various lengths and suspend at different heights.






^{*} Please consult an Abby representative for continuous mounting arrangement.



Inspired from one of the most famous fountains in the world, The Trevi Fountain, Italy—Trevi because of its three sided acrylic profile dispenses light on the horizontal plane (walls), vertical plane (workspaces), and the ceiling.

Stunning yet simple, Trevi with its sophisticated styling allows flexibility for continuous line lighting. This soft diffused light is suitable for multiple application areas.





- * Order Trevi pendant as Trevi P & Trevi Surface as Trevi S.
- * Please consult an Abby representative for continuous mounting arrangement.



Clean lines, a distinct arc, and a meditative space to be appreciated for what it is!! Bare simplicity of the fixture, states its purpose with a Zen like presence. Zen is a harmonious combination of soft indirect lighting and advanced LED technology. The evenly distributed light is settling and provides a peaceful ambience.

An absolute delight for those who enjoy functional aesthetics and glare free lighting.


Available as a suspended pendant, suitable for corporate, retail, and offices. Designed to be placed end-to-end; or side by side, if required to intensify light.




Zen 60-20w

Zen 120-40w

Zen 180-60w



CCT: 2700K 3000K 4000K 6000K
Finish: SWH SBL SSG Custom




Corporate office, Gurgaon



 $Can a lazzo-this \ linear \ profile \ provides \ soft \ diffused \ even \ light \ of \ very \ high \ quality \ \& \ is \ suitable \ for \ multiple \ application \ areas. Its \ compact \ nature \ lends \ a \ refined \ appeal \ to \ the \ space.$

The flexibility of the module encourages the creation of vibrant lighting schemes: standalone, continuous line, over 120 degree work stations...suspended or surfaced. An up light component can be incorporated.






- * Order Canalazzo pendant as Canalazzo P & Canalazzo Surface as Canalazzo S.
- * Please consult an Abby representative for continuous mounting arrangement.





Corporate office, Gurgaon



Corporate office, Gurgaon



The understated yet stylish design of the Canalazzo S/P is carried over to the recessed version.



Canalazzo R 60-10w Canalazzo R 60-15w Canalazzo R 60-20w CCT: 2700K 3000K 4000K 6000K			95mm 95mm 610mm	65mm 80mm
Finish: SWH				
Canalazzo R 120-20w Canalazzo R 120-30w Canalazzo R 120-40w			1185mm	65 <u>m</u> m
		95mm		
		-	1200mm	80mm
CCT: 2700K 3000K 4000K 6000K Finish: SWH				
Canalazzo R 180-30w Canalazzo R 180-45w Canalazzo R 180-60w			1775mm	65mm
	95mm			
	† : <u> </u>		1790mm	80mm
CCT: 2700K 3000K 4000K 6000K Finish: SWH				
Canalazzo R 240-40w Canalazzo R 240-60w Canalazzo R 240-80w		2265		
05		2365mm		65mm
95mm		2380mm		80mm
CCT: 2700K 3000K 4000K 6000K Finish: SWH				

^{*} Please consult an Abby representative for continuous mounting arrangement.



This simple and sleek luminaire is for recess mounting applications. A move from the conventional round and square fixtures, Channel 1 provides an elegant appearance and excellent light distribution.

Its shallow recessing depth compared to conventional profile downlights makes its suitable for installation in low ceiling voids.



Channel 1 60-10w Channel 1 60-15w Channel 1 60-20w			50mm	595m	48mm
CCT: 2700K 3000K 4000K 6000K Finish: SWH					
Channel 1 120-20w Channel 1 120-30w Channel 1 120-40w		50mm		1185mm 1205mm	48mm
CCT: 2700K 3000K 4000K 6000K Finish: SWH					
Channel 1 180-30w Channel 1 180-45w Channel 1 180-60w	50mm		1775mm 1795mm		48mm
CCT: 2700K 3000K 4000K 6000K Finish: SWH					
Channel 1 240-40w Channel 1 240-60w Channel 1 240-80w		2365mm			48mm
50mm		2385mm			65mm
CCT: 2700K 3000K 4000K 6000K Finish: SWH					

^{*} Please consult an Abby representative for continuous mounting arrangement.









Dot F

Dot F 1w Dot F 3w





LED Color::	2700K 3000K	4000K		6500K
FWHM Angle	: 10° 25°	40°		
Finish:	SWH SBL	AM	AS	BN



Dot M

Dot M 1w Dot M 3w








Dot D

Dot D 1w Dot D 3w



LED Color:	2700K	3000K	4000K		6500K
FWHM Angle:	14°	28°			
Finish:	SWH	SBL	AM	AS	BN





Bling F


Bling F 5w Bling F 8w



Ø 45mm / H: 65mm-5w Ø 45mm / H: 80mm-8w




LED Color::	2700K 3000K	4000K		6500K
FWHM Angle	36°			
Finish:	SWH SBL	AM	AS	BN



Bling M

Bling M 5w Bling M 8w



Ø 55mm / H: 60mm-5w Ø 55mm / H: 75mm-8w



LED Color:	2700K 3000K	4000K		6500K
FWHM Angle	: 36°			
Finish:	SWH SBL	AM	AS	BN



iPoint

iPoint 5w iPoint 8w iPoint 10w



LED Color:	2700K	3000K	4000K		6500K
FWHM Angle:	36°				
Finish:	SWH	SBL	ΔM	ΔS	BN






Xyla

Xyla 5w Xyla 8w Xyla 10w




LED Color::	2700K 3000K	4000K		6500K
FWHM Angl	e: 36°			
Finish:	SWH SBL	AM	AS	BN



Xyla

Xyla 15w Xyla 22w




LED Color::	2700K 3000K	4000K		6500K
FWHM Angle	e: 16° 28°	42°		
Finish:	SWH SBL	AM	AS	BN

^{* 2700}K is not available in 22w



Xyla Deco

Xyla DG 5w Xyla DG 8w Xyla DG 10w



Ø 90mm / H: 60mm




LED Color::	2700K 3000K 4000K 6500K
FWHM Angle	42°
Finish:	SWH SBL AM AS BN





Xyla Deco

Xyla DG 15w Xyla DG 22w





LED Color::	2700K 3000K	4000K		6500K
FWHM Angle	: 21° 33°	47°		
Finish:	SWH SBL	AM	AS	BN

^{* 2700}K is not available in 22w



Xyla Square


Xyla SQ 5w Xyla SQ 8w Xyla SQ 10w



LED Color::	2700K	3000K	4000K		6500K
FWHM Angle:	36°				
Finish:	SWH	SBL	AM	AS	BN

Xyla Square

Xyla SQ 15w Xyla SQ 22w



LED Color::	2700K 3000K	4000K		6500K
FWHM Angle	16° 28°	42°		
Finish:	SWH SBL	AM	AS	BN


^{* 2700}K is not available in 22w





XTC-F

XTC-F 15w XTC-F 22w



LED Color:	2700K 3000K	4000K	6500K
FWHM Angle	e: 12° 28°	67°	
Finish:	SWH SBL		

^{* 2700}K is not available in 22w

XTC-M

XTC-M 15w XTC-M 22w




LED Color:	2700K 3000K	4000K	6500K
FWHM Angle	12° 28°	67°	
Finish:	SWH SBL		

* 2700K is not available in 22w



XLNT

XLNT 15w XLNT 22w



LED Color:	2700K 3000	K 4000K	6500K
FWHM Angle	10° 17°	42°	
Finish:	SWH SBL		

^{* 2700}K is not available in 22w





XLNT

XLNT 30w XLNT 45w XLNT 65w



Ø 111mm / H: 110mm-30w Ø 111mm / H: 126mm-45w/65w



LED Color:	3000K	4000K	6500K
FWHM Angle	e: 22° 33°	51°	
Finish:	SWH SBL		



iBelle

iBelle 5w iBelle 8w iBelle 10w



Ø 90mm / H: 82mm




LED Color:	2700K 3000K	4000K		6500K
FWHM Angle	e: 30°			
Finish:	SWH SBL	AM	AS	BN



iBelle

iBelle 15w iBelle 22w



Ø 90mm / H: 105mm



LED Color:	2700K 3000K	4000K		6500K
FWHM Angle	: 24°			
Finish:	SWH SBL	AM	AS	BN


^{* 2700}K is not available in 22w





iKapp mini


iKapp mini 10w



Ø 80mm / H: 115mm



LED Color:	2700K 3000K	4000K	6500K
FWHM Angle	e: 32 °		
Finish:	SWH SBL	GLD	



iKapp

iKapp 10w



Ø 105mm / H: 145mm



LED Color:	2700K 3000K	4000K	6500K
FWHM Angle	e: 28°		
Finish:	SWH SBL	GLD	



iKapp

iKapp 15w iKapp 22w





LED Color:	2700K 3000K 4000K	6500K
FWHM Angle	e: 28°	
Finish:	SWH SBL GLD	

^{* 2700}K is not available in 22w








Polo

Polo 5w Polo 8w Polo 10w




LED Color:	2700K 3000K	4000K	6500K
FWHM Angle	e: 24°		
Finish:	SWH SBL	AM	




Polo

Polo 15w Polo 22w




LED Color:	2700K 3000K 4000K 6500K
FWHM Angle	24°
Finish:	SWH SBL AM

* 2700K is not available in 22w



Zui

Zui 5w Zui 8w Zui 10w




LED Color:	2700K	3000K	4000K	6500K
FWHM Angle:	24°			
Finish:	SWH	SBL	AM	BN





Zui

Zui 15w Zui 22w



LED Color:	2700K 3000K	4000K	6500K
FWHM Angle	e: 24°		
Finish:	SWH SBL	AM	BN

^{* 2700}K is not available in 22w

Phantom

Phantom 10w



LED Color:	2700K 3000K	4000K		6500K
FWHM Angle	36°			
Reflc Finish:	SWH SBL	AM	AS	



Phantom

Phantom 15w Phantom 22w



Ø 110mm / H: 120mm



LED Color: 2700K 3000K 4000K	6500K
FWHM Angle: 16° 28° 42°	
Reflc Finish: SWH SBL AM A	\S


^{* 2700}K is not available in 22w





iWash

iWash 15w iWash 22w




LED Color: 2700K 3000K 4000K 6500K

Beam Angle : Asymmetric - wall washer

* Please specify reflector finish as White or Matt

iWash

iWash 30w iWash 45w iWash 65w





LED Color: 3000K 4000K 6500K

Beam Angle : Asymmetric - wall washer

Finish: SWH _____

* Please specify reflector finish as White or Matt

XIM

XIM 30w XIM 45w XIM 65w



Ø 140mm / H: 144mm-30w Ø 140mm / H: 160mm-45w/65w



LED Color:	30	000K 4	000K	6500K
FWHM Angle:	13°	20°	44°	
Finish:	SWH			









Beta

Beta 1-way 10w



☐ 115x115mm / H: 75mm ☐ Cutout :105mmx95mm

LED Color:	2700K 3000K 4000K 6500K
FWHM Angle	36°
Finish:	SWH SBL



Beta

Beta 2-way 10w



□ 200x115mm / H: 75mm

☐ Cutout :175mmx105mm

LED Color:	2700K 3000K 4000K 6500K	
FWHM Angle	36°]
Finish:	SWH SBL	1



Beta

Beta 3-way 10w

LED Color:	2700K 3000K	4000K	6500K
FWHM Angle	: 36°		
Finish:	SWH SBL		



Beta

Beta 4-way 10w



LED Color:	2700K	3000K	4000K	6500K
FWHM Angle:	36°			
Finish:	SWH	SBL		





Beta

Beta 1-way 15w Beta 1-way 22w



☐ 115x115mm / H: 100mm ☐ Cutout :105mmx95mm

Beta

Beta 2-way 15w Beta 2-way 22w




☐ 200x115mm / H: 100mm ☐ Cutout :175mmx105mm

LED Color:	2700K 3000K	4000K	6500K
FWHM Angle:	16° 28°	42°	
Finish:	SWH SBL		

^{* 2700}K is not available in 22w

Beta

Beta 3-way 15w Beta 3-way 22w




LED Color:	2700K 3000	OK 4000K	6500K
FWHM Angle	16° 28	° 42°	
Finish:	SWH SB	L	

* 2700K is not available in 22w

Beta

Beta 4-way 15w Beta 4-way 22w





☐ 200x200mm / H: 100mm ☐ Cutout :175mmx175mm






IMAGE NOT AVAILABLE

IMAGE NOT AVAILABLE

^{* 2700}K is not available in 22w

^{* 2700}K is not available in 22w



Gamma

Gamma 1-way 22w Gamma 1-way 30w





☐ 136x136mm / H: 125mm -22w ☐ 136x136mm / H: 135mm -30w ☐ Cutout :120mmx125mm




Gamma

Gamma 2-way 22w Gamma 2-way 30w

- □ 136x246mm / H: 125mm -22w
- □ 136x246mm / H: 135mm -30w
- ☐ Cutout :230mmx125mm








Gamma

Gamma 3-way 22w Gamma 3-way 30w








Gamma

Gamma 4-way 22w Gamma 4-way 30w





 LED Color:
 2700K
 3000K
 4000K
 6500K

 FWHM Angle: 22w 16° 28° 42° 30w 22° 33° 51°

 Finish:
 SWH
 SBL

IMAGE NOT AVAILABLE

Also available in 45w/65w. Consult Abby Representative





SPOT & ACCENTS - TRIMLESS

SPOT & ACCENTS-TRIMLESS



Beta Trimless

Beta Trimless 1-way 5w Beta Trimless 1-way 9w





☐ 76mmx76mm / H: 75mm-5w ☐ 76mmx76mm / H: 90mm-9w

LED Color:	2700K 3000K 4000K 650	0K
FWHM Angle	36°	
Finish:	SWH SBL	

Beta Trimless

Beta Trimless 2-way 5w Beta Trimless 2-way 9w





☐ 150mmx76mm / H: 75mm-5w □ 150mmx76mm / H: 90mm-9w

LED Color:	2700K 3000K	4000K	6500K
FWHM Angle	: 36°		
Finish:	SWH SBL		



Beta Trimless

Beta Trimless 3-way 5w Beta Trimless 3-way 9w







☐ 218mmx76mm / H: 75mm-5w ☐ 218mmx76mm / H: 90mm-9w

LED Color:	2700K 3000K 4000K 6500K
FWHM Angl	e: 36°
Finish:	SWH SBL



Beta Trimless

Beta Trimless 4-way 5w Beta Trimless 4-way 9w








□ 150mmx150mm / H: 75mm-5w □ 150mmx150mm / H: 90mm-9w

LED Color:	2700K 3000K 4000K 6500	K
FWHM Angle	36°	
Finish:	SWH SBL	\neg



SPOT & ACCENTS-TRIMLESS



Beta Trimless

Beta Trimless 1-way 10w Beta Trimless 1-way 15w






□ 105mmx105mm / H: 105mm

LED Color:	2700K	3000K	4000K	6500K
FWHM Angle	: 16°	28°	42°	
Finish:	SWH	SBL		

Beta Trimless

Beta Trimless 2-way 10w Beta Trimless 2-way 15w





☐ 205mmx105mm / H: 105mm

LED Color:	2700K	3000K	4000K	6500K
FWHM Angle:	16°	28°	42°	
Finish:	SWH	SBL		

Beta Trimless

Beta Trimless 3-way 10w Beta Trimless 3-way 15w





□ 300mmx105mm / H: 105mm

LED Color:	2700K 3000K 4000K 650	0K
FWHM Angle	16° 28° 42°	
Finish:	SWH SBL	

Beta Trimless

Beta Trimless 4-way 10w Beta Trimless 4-way 15w





☐ 205mmx205mm / H: 105mm


LED Color:	2700K 3000K	4000K	6500K
FWHM Angle	16° 28°	42°	
Finish:	SWH SBL		












High-end residence, Mumbai



Hospitality, Navi Mumbai

SPOT & ACCENTS-TRIMLESS



Lucky Trimless


Lucky Trimless 5w Lucky Trimless 9w



Ø 80mm / H: 115mm



LED Color:	2700K 3000K	4000K	6500K
FWHM Angl	e: 30°		
Finish:	SWH SBL		



Zui Trimless

Zui Trimless 15w Zui Trimless 22w



Ø 75mm / H: 120mm



LED Color:	2700K 3000K	4000K	6500K
FWHM Angle:	24°		
Finish:	SWH SBL		

^{* 2700}K is not available in 24w







SPOT & ACCENTS SURFACE/PENDANT

SPOT & ACCENTS SURFACE/PENDANT





OVO P OVO P 7 10w OVO P 12 10w

Ø 60mm / H: 180mm-OVO 7 10w Ø 60mm / H: 300mm-OVO 12 10w

LED Color:	2700K 3000K	4000K	6500K
FWHM Angle	: 36°		
Finish:	SWH SBL	AM	Custom

SPOT & ACCENTS SURFACE/PENDANT



OVO





Ø 60mm / H: 180mm-OVO 7 10w Ø 60mm / H: 300mm-OVO 12 10w



OVO

OVO 15w




Ø 72mm / H: 305mm



OVO

OVO P 15w



LED Color:	2700K 3000K	4000K	6500K
FWHM Angle	: 36°		
Finish:	SWH SBL	AM	Custom








iBlock P

iBlock P 10w iBlock P 15w



□100mm / H: 135mm-10w □100mm / H: 215mm-15w

 LED Color:
 2700K
 3000K
 4000K
 6500K

 FWHM Angle:
 36°
 For 10w


 FWHM Angle:
 16°
 28°
 42°
 For 15w

 Finish:
 SWH
 SBL
 AM
 Custom



iBlock

iBlock 10w iBlock 15w




□100mm / H: 135mm-10w □100mm / H: 215mm-15w

 LED Color:
 2700K
 3000K
 4000K
 6500K

 FWHM Angle:
 36°
 For 10w

 FWHM Angle:
 16°
 28°
 42°
 For 15w

Finish: SWH SBL AM Custom



iBlock Antiglare

iBlock Antiglare 10w iBlock Antiglare 15w



□ 100mm / H: 150-135mm-10w □ 100mm / H: 202-232mm-15w

 LED Color:
 2700K
 3000K
 4000K
 6500K


 FWHM Angle:
 36°
 For 10w

 FWHM Angle:
 16°
 28°
 42°
 For 15w

 Finish:
 SWH
 SBL
 AM
 Custom



iBlock Wash



□100mm / H: 195mm-10w □100mm / H: 240mm-15w

 LED Color:
 2700K
 3000K
 4000K
 6500K

 FWHM Angle:
 36°
 For 10w

 FWHM Angle:
 16°
 28°
 42°
 For 15w

 Finish:
 SWH
 SBL
 AM
 Custom







R.paR

R.paR 3w



□100mmX100mm / H:100mm


Finish:

LED Color: 2700K 3000K 4000K SWH SBL AM Custom





Retail store



Retail store




Bro S

Bro S 15w




LED Color:	2700K 3000K	4000K	6500K
FWHM Angle	e: 24°		
Finish:	SWH SBL	AM	Custom



Bro S Twin

Bro S Twins 2x15w




LED Color:	2700K 3000K 4000K 6500K
FWHM Angle	24°
Finish:	SWH SBL AM Custom



Hi-Spot S

Hi-Spot S 10w



LED Color:	2700K	3000K	4000K	6500K
FWHM Angle	28°			
Finish:	SWH	SBL	AM	Custom








TRACKS



L-Bo


L-Bo 3ph 9w L-Bo 4ph 12w



LED Color:	3000K 4000K	6500K
FWHM Angle	25° 40°	
Finish:	SWH SBL	

Hi-Spot


Hi-Spot 10w



LED Color:	2700K 3000K	4000K	
FWHM Angle	28°		
Finish:	SWH SBL		Custom

OVO BD TA

OVO BD TA 15w








iShop

iShop 15w




LED Color:	2700K 3000K	4000K	6500K
FWHM Ang	e: 16° 28°	42 °	
Finish:	SWH SBL		Custom



iShop

iShop 22w iShop 30w




LED Color:	3000K 4000K 6500K
FWHM Angl	e: 10° 17° 42° For 22w
FWHM Angl	e: 22° 33° 51° For 30w
Finish:	SWH SBL Custom



Art Light

Art Light 15w Art Light 22w Art Light 30w







Bro TA

Bro TA 10w Bro TA 15w




LED Color:	2700K 3000K	4000K	6500K
FWHM Angle	e: 24°		
Finish:	SWH SBL		



Bro Twins TA

Bro Twins TA 2x10w Bro Twins TA 2x15w




LED Color:	2700K 3000K	4000K	6500K
FWHM Angle	24°		
Finish:	SWH SBL		



Bro HGB TA

Bro HGB TA 10w Bro HGB TA 15w




LED Color:	2700K 3000K	4000K	6500K
FWHM Angle	24°		
Finish:	SWH SBL		





Jade


Jade 15w Jade 22w Jade 30w



LED Color:		3000K	4000K	6500K
FWHM Angle:	10°	17°	42°	For 15w/22w
FWHM Angle:	17°	40°	60°	For 30w
Finish:	SWH	SBL		

Jade HGB

Horizontal Jade 15w Horizontal Jade 22w Horizontal Jade 30w



LED Color:	3000K 4000K 6500K
FWHM Angle	e: 10° 17° 42° For 15w/22w
FWHM Angle	e: 17° 40° 60° For 30w
Finish:	SWH SBL

Jade BD

Jade BD 15w Jade BD 22w Jade BD 30w















Mushroom Mushroom 4w Ø 90mm / H: 30mm Ø 75mm LED Color: 2700K 3000K 4000K 6000K Finish: SWH **Snow** Snow 4w Ø 62mm / H: 18mm ° ^Ø 53mm LED Color: 2700K 3000K 4000K 6000K Finish: SWH **Snow** Snow 5w Snow 8w Ø 90mm / H: 30mm 5w Ø 90mm / H: 45mm 8w Ø 75mm

2700K 3000K 4000K 6000K

LED Color:

SWH

Finish:



iNspire

iNspire 10w





iNspire

iNspire 15w




LED Color: 2700K 3000K 4000K 6000K Finish: SWH



iStar

iStar 5w iStar 8w









iStar

iStar 10w iStar 15w





iStar

iStar 18w iStar 23w





iStar

iStar 25w iStar 30w







iRound

iRound 18w iRound 30w



LED Color: 2700K 3000K 4000K 6000K Finish: SWH



iSquare

iSquare 18w iSquare 30w




□ 180mm / H: 35mm



iSquare D

iSquare D 18w iSquare D 30w




LED Color: 2700K 3000K 4000K 6000K Finish: SWH





iPlane Round Recess


<u>iPlane Round Recess 5w</u> <u>iPlane Round Recess 8w</u>





iPlane Round Recess

iPlane Round Recess 10w




LED Color: 2700K 3000K 4000K 6000K Finish: SWH




iPlane Round Recess

iPlane Round Recess 15w iPlane Round Recess 22w




LED Color: 2700K 3000K 4000K 6000K Finish: SWH






iPlane Square Recess


iPlane Square Recess 5w iPlane Square Recess 8w






iPlane Square Recess

iPlane Square Recess 10w




LED Color: 2700K 3000K 4000K 6000K Finish: SWH



iPlane Square Recess

<u>iPlane Square Recess 15w</u> <u>iPlane Square Recess 22w</u>









iNfinity Round Recess


iNfinity Round Recess 5w iNfinity Round Recess 8w





iNfinity Round Recess

iNfinity Round Recess 10w





LED Color: 2700K 3000K 4000K 6000K Finish: SWH



iNfinity Round Recess

iNfinity Round Recess 15w iNfinity Round Recess 22w









iNfinity Square Recess


iNfinity Square Recess 5w iNfinity Square Recess 8w






iNfinity Square Recess

iNfinity Square Recess 10w






iNfinity Square Recess

iNfinity Square Recess 15w iNfinity Square Recess 20w









Mac Mini


Mac Mini 8w






Mac


Mac 15w






Jac

Jac 15w








RECESS GRID LIGHTS





RECESS GRID LIGHTS










Glyde

Glyde 30w Glyde 40w



580mm □









SURFACE DOWNLIGHTS

SURFACE DOWNLIGHTS



iPlane Round Surface	
iPlane Round Surface 10w Ø 152mm / H: 38mm	
LED Color: 2700K 3000K 4000K 6000K Finish: SWH SBL Custom	
iPlane Round Surface	
iPlane Round Surface 22w Ø 235mm / H: 38mm	
LED Color: 2700K 3000K 4000K 6000K Finish: SWH SBL Custom	
iPlane Square Surface	
iPlane Square Surface 10w ☐ 152mm / H: 40mm	
LED Color: 2700K 3000K 4000K 6000K Finish: SWH SBL Custom	
iPlane Square Surface	
iPlane Square Surface 22w ☐ 180mm / H: 40mm	
LED Color: 2700K 3000K 4000K 6000K	

SURFACE DOWNLIGHTS



iNfinity Round Surface	
iNfinity Round Surface 10w Ø 152mm / H: 38mm	
LED Color: 2700K 3000K 4000K 6000K Finish: SWH SBL Custom	
iNfinity Round Surface	
iNfinity Round Surface 22w Ø 235mm / H: 38mm	
LED Color: 2700K 3000K 4000K 6000K	
iNfinity Square Surface	
iNfinity Square Surface 10w □ 152mm / H: 40mm LED Color: 2700K 3000K 4000K 6000K	
Finish: SWH SBL Custom	
iNfinity Square Surface	
iNfinity Square Surface 22w	
□180mm / H: 40mm	
LED Color: 2700K 3000K 4000K 6000K Finish: SWH SBL Custom	






OUTDOOR



Moonwalker

Moonwalker 1 1w Moonwalker 1 3w



LED Color:	2700K 3000K	4000K	
FWHM Angle	e: 10° 25°	40°	
Finish:			BN



Moonwalker

Moonwalker 3 9w




LED Color:	2700K 3000K	4000K	
FWHM Angle	10° 25°	40°	
Finish:			BN




Moonwalker

Moonwalker 9 27w



LED Color:	2700K 3000	K 4000K	
FWHM Angle:	06° 25	° 40°	
Finish:			BN








Spyke I

Spyke I 5w Spyke I 8w





LED Color:	2700K 3000K	4000K	
FWHM Angle	: 36°		
Finish:	SBL		



Spyke R

Spyke R 5w Spyke R 8w











Notes

